## **Gardner**

## COMPRESSOR DATA SHEET

Federal Uniform Test Method for Certain Air Compressors Not Applicable

							ble Frequ						
1	Manufa	acturer: Ga	rdner Der	iver									
	Model Number TVS355-W155 (NA-IP23)								Date:			June 2024	
2	Air-cooled X Water-cooled								Туре:			Screw	
	Oil Injected X Oil-Free								# of Stages:			2	
3*	Full Lo	ad Operati	ng Pressu	re <sup>b</sup>			115			psig <sup>b</sup>			
4	Drive Motor Nominal Rating								476			hp	
5	Drive Motor Nominal Efficiency								95.7%			percent	
6	Fan Motor Nominal Rating (if applicable)								2.4			hp	
7	Fan Motor Nominal Efficiency								82.5%			percent	
	Input Power (kW)							Capacity (acfm) a,d		Specific Power (kW/I acfm) <sup>d</sup>			
	346.2 Max							1808			19.15		
	290.4								1576		18.43		
8*	238.6							1331		17.93			
	190.8							1074		17.76			
	146.5							808		18.13			
		105.5					Min	533			19.78		
9*	Total Package Input Power at Zero Flow <sup>c, d</sup>				0.0			kW					
10	Specific Power (KW/100ACFM)	35.00 30.00 25.00											
		15.00	200	400	600	800	1000	1200	1400	1600	1800	2000	
		v	200		000		acity (ACF			1000	1000	2000	
	Note: Graph is only a visual representation of the data in section 8  Note: Y-axis scale 10 to 35, +5kW/100acfm increments if necessary above 35  X-Axis Scale, 0 to 25% over maximum capacity												

 $<sup>{\</sup>rm *For\ models\ that\ are\ tested\ in\ the\ CAGI\ Performance\ verification\ Program,\ these\ items\ are\ verified\ by\ program\ administrator}$ 

Consult CAGI website for a list of participants in the third party verification program:

- a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex E; ACFM is actual cubic feet per minute at inlet conditions.
- b. The operating pressure at which the Capacity and Electrical Consumption were measured for this data sheet.
- C. No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1% manufacturer may state "not significant" or "0" on the test report.
- d. Tolerance is specified in ISO 1217, Annex E, as shown in table below:

NOTE: The terms "power" and "energy" are synonymous for purposes of this documen

Volume t at specified	flow rate conditions	Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power
m³/min	ft <sup>3</sup> /min	%	%	
Below 0.5	Below 17.6	+/-7	+/-8	
0.5 to 1.5	17.6 to 53	+/-6	+/-7	+/- 10%
1.5 to 15	53 to 529.7	+/-5	+/-6	
Above 15	Above 529.7	+/-4	+/-5	

Member

ROT 031.2

12/19 R3

This form was developed by the Compressed Air and Gas Institute for the use of its members. CAGI has not independently verified the reported data